


Simon® 5” TouchScreen

Version 2



Classic interface

Alarm.com interface

OVERVIEW

The Simon 5” TouchScreen Version 2 is a color LCD screen featuring a user-friendly interface that complements Simon security systems for safety and peace of mind. The easy to use touch screen provides system owners with at-a-glance home status information, allowing easy and convenient control of Simon systems. This touch screen is the ideal solution for providing additional points of control throughout the home. Up to four touch screens can be installed in one home for maximum convenience.

Simon 5” TouchScreens quickly and seamlessly connect to the Simon panel using the Interlogix wireless 319.5MHz protocol. Each touch screen comes with both a wall plate and table top stand to accommodate wall mounting or table top installations. They also have a built-in rechargeable battery that provides backup power in case of power outages. An integrated speaker provides voice, chime and siren notifications, alerting system owners of trouble and alarm conditions.

In addition to controlling the alarm features of the Simon system, when installed with a Simon XTi-5 Version 2 panel that is equipped with Alarm.com®, Simon 5” TouchScreens offer a selectable user interface which matches the mobile interactive service application in color, style, and icons. It also allows for control over functions including Z-Wave wireless lighting control devices, thermostats for home HVAC systems, door locks, and garage doors. Alarm.com also enables additional lifestyle-enhancing information such as the current outdoor temperature and a four-day weather forecast right on the screen.

STANDARD FEATURES

- 5-inch color LCD screen with user interface (UI) delivers at-a-glance status of home and property
- Uses the panel’s wireless 319.5MHz RF to interconnect to the panel
- Selectable user interface (requires Simon XTi-5 Version 2 panel)
- Compatible with Simon panels for added control of security system features
- Supports 40 Zone (Simon XT, Simon XTi, Simon XTi-5 version 1) and 80 Zone (Simon XTi-5 Version 2)
- Actionable status icons
 - Identify door/window open
 - Last motion detected
 - “My property” icon status covers all non-window, non-door, non-interior motion changes
- Alarm.com compatible for advanced interactive services
 - Optional HVAC, lighting, and lock control devices with programmable options help promote energy savings
 - Four-day weather forecast adds value and lifestyle convenience
 - Z-Wave door lock support and indicator status
 - Z-Wave garage door support (requires Simon XTi-5 Version 2 panel)
- Access code feature setting for “Secure” vs. “Less Secure” touch screen location
- Built-in rechargeable NiMH battery
- Up to four touch screens may be added to a Simon system
- Regulatory listed


Main Screen Key Functions

Emergency Button

Window/Door,
Motions Status

Selectable User
Interface

Requires Simon XTi-5 Version 2
panel and third-party modem to
be present



Optional Dealer Logo

Property Status

System Arming

Status & Settings


Related Devices & Applications



Simon® XTi-5 or Simon XT Control Panels

Compatible with
Simon XTi-5 or
Simon XT
v1.3 or later.

Note: Property status and other
new Two-Way Talking Touch
Screen capabilities require v1.4
Simon XT or later.



Remote Access

Optional, convenient
interactive services
available through
Alarm.com®.

powered by ALARM.COM®



Lighting Control

Integrated lighting
control capability
through Z-Wave®
lighting devices.



Wireless Thermostats

Programmable HVAC
control available
through Z-Wave
wireless thermostats.



Kwikset





Wireless Door Lock Control

Z-Wave door lock
support and status.



Optimized for
Simon XTi-5
Version 2 Panel
v2.1 or later

- 80 Zone support
- Selectable user
interface (required
third-party modem
to be installed)





At-A-Glance Home Status

Quick, at-a-glance home status provides a complete view of home systems including security, indoor temperature and weather.



Security System Control Via Convenient Keypad

Large keypad makes security system operation user-friendly.

Optional Services



Thermostat Control

Thermostat control makes it easy to set automation schedules in conjunction with lighting and security events to help save energy and reduce utility bills.



Four-Day Weather Forecast

Four-day weather forecast provides helpful information quickly and conveniently.



Garage Door Control

Simon® 5" TouchScreen

Version 2

Specifications

Compatibility	Simon XT (v1.3 and later), Simon XTi, Simon XTi-5
Optimized For	Simon XTi-5 Version 2 Panel (supports 80 zones, selectable GUI, remote firmware upgrade)
Power	Input: 100-120VAC, 250mA Output: 6VDC, 1000mA
Backup Batteries	3.6VDC, 600mAh, NiMH
Dimensions (W x H x D)	6.7 x 5.0 x 0.8 in. (170 x 127 x 20mm)
Operating Temperature	32°F to 104°F (0°C to 40°C)
Maximum Humidity	85% relative (non-condensing)

Ordering Information

60-924-RF-TS5-2	Simon 5-inch TouchScreen Version 2
60-924-BAT4SIMONT5	Replacement 600mAh Battery for Simon 5-inch TouchScreen



interlogix.com

Specifications subject to change without notice.

© 2019 United Technologies Corporation. All rights reserved.
All trademarks are the property of their respective owners.
Interlogix is part of UTC Climate, Controls & Security, a unit of
United Technologies Corporation.

2019/02 (GSP-2756)