

BC300

Power Supply/Battery Enclosure

Altronix BC300 is a UL Recognized NEMA 1 Rated power supply/battery enclosure that can accommodate a wide variety of Altronix power supplies, sub-assemblies, and accessories. Altronix enclosures feature ample knockouts that are suitable for 3/4" and 1" conduits.



BC300

Specifications**Features**

- 19 Gauge steel enclosure
- Ample knockouts accommodating either 3/4" or 1" conduits for convenient access
- Cam lock and keys are included

Capacity

- Fits two (2) 12VDC/7AH batteries

Agency Listings

Component Enclosure USR, CNR:
UL Recognized

Physical and Environmental**Dimensions (H x W x D)**

13.5" x 13" x 3.25" (342.9mm x 330.2mm x 82.55mm)

Product Weight 5.6 lb. (2.54kg)

Shipping Weight 6.5 lb. (2.95 kg)

Also Available

BC300R - red enclosure




BC300R

BC300

Power Supply/Battery Enclosure

Product Position Chart for the Following Models:

Altronix Products	Mounting
ACM8, ACM8CB, ACMS8, ACMS8CB, AL300ULXB, AL400ULXB2, AL600ULXB, AL1012ULXB, AL1024ULXB2, eFlow3NB, eFlow4NB, eFlow6NB, eFlow102NB, eFlow104NB, LINQ8ACM, LINQ8ACMCB, OLS75, OLS120, OLS120D2, OLS180, OLS250	(A)
ACM4, ACM4CB, AL175ULB, LINQ8PD, LINQ8PDCB, MOM5, PD4UL, PD4ULCB, PD8UL, PD8ULCB, PDS8, PDS8CB	(B)
OLS20, SMP3, SMP5	(C)
T1250, T12100, T16100, T1618100	(D)



Dimensions and Drawing

Dimensions (H x W x D approximate)

13.5" x 13" x 3.25" (342.9mm x 330.2mm x 82.55mm)

