


### **Downloading or Updating DLS 5**

Due to the increased needs of cybersecurity and properly securing online data, DSC has released DLS 5 v1.741. DLS 5 can be downloaded or updated from the DSC website.

- Step 1: Visit: www.dsc.com
- <u>Step 2:</u> Log in by clicking on the 'Security Professional Login' button at the top of the DSC Home page.



**<u>Step 3:</u>** Log in using your Security Professional Login credentials.




(Register for a Login by clicking here)

- Tech Tip: Before updating your existing DLS 5 software, backup the DLS 5 accounts by exporting the accounts to a safe file storage location.
- <u>Step 4:</u> Click on ' Download Software' under the Quick Links in the lower left-hand side of the DSC Home page.



<u>Step 5:</u> Scroll down to DLS 5 and open the section. Then scroll down to and double click on the 'DLS 5 v1.741 (NA)' link or the most current version. Then follow the instruction to download / update the DLS 5 software.



**<u>Step 6:</u>** Register for secure access to the Johnson Controls OKTA services.

Visit: https://ojci-qa.oktapreview.com/signin/register

- Johnson We
  Controls


  Sign In

  Username

  Remember me

  Next
  Need help signing in?

  Don't have an account Sign up
- a. Click 'Sign up'
- b. Create an Account



#### c. Create a Login

Johnson Controls	
Create Account	
daniel.johnson@jci.com	
······	<u>_</u>
✓ At least 8 character(s)	
✓ At least 1 number(s)	
✓ At least 1 lowercase letter(s)	
✓ At least 1 uppercase letter(s)	
✓ Does not contain part of user	name
Daniel	
Johnson	
* indicates required field	
Register	
Back to sign in	

#### d. Check your email



# Follow the instruction within the verification email and active your OKTA account.

Okta <noreply@okta.com> To @ Daniel L Johnson</noreply@okta.com>	
oncontrol !	
il address and activate your account, please click on the following link:	
Activate Account	

The user will be requested to verify their email by clicking on the link sent in the email. Upon successful verification, the OKTA portal will update DLS 5 and prompt the browser to be closed.

DLS 5 v1.741 introduces Multi-Factor Authentication (MFA) when using online services associated with the DLS 5 software. MFA will be required for services that rely on the web and the need to communicate with the DSC server.

The services that will require MFA when using DLS 5 v1.741 are:

- Tools > Language Manger
- Tools > Flash Wizard
- Help > Updates > Check for Updates
- Help > Send Feedback
- Help > Johnson Controls User Settings

The DLS 5 software will automatically redirect you to be authenticated with Johnson Controls before proceeding to the menu items listed above.

Tech Tip: Use DLS 5 Help > Johnson Controls User Settings to go to the Okta portal and manage your sign-in as needed.

> Sign into the Okta portal to edit your Personal Information, Display Language, Security Image and Change Password.

Tech Tip: If DLS 5 is only used for uploading/downloading (e.g., PCLink, Remote connections), there is no need for OKTA registration.